



SERIE "C"



C-101 (12x6)
0.158 kg. - 0.348 lbs.
C-102/F (14x6)
0.185 kg. - 0.408 lbs.
C-126 (8x8)
0.141 kg. - 0.311 lbs.

mm. 65 x 102
Inch. 9/16" x 4 1/16"



C-201 (12x6)
0.171 kg. - 0.377 lbs.
C-202/F (14x6)
0.201 kg. - 0.413 lbs.
C-227 (10x10)
0.247 kg. - 0.545 lbs.
Also part for R-2

mm. 70 x 127
Inch. 2 7/8 x 4 15/16"



C-301 (12x6)
0.191 kg. - 0.421 lbs.
C-302/F (14x6)
0.224 kg. - 0.494 lbs.
C-327 (10x10)
0.275 kg. - 0.606 lbs.
C-305 (12x12)
0.384 kg. - 0.846 lbs.

mm. 80 x 150
Inch. 3 1/8 x 5 7/8"

C-126 / C-227/ C-327 are available in RD finish



C-401 (12x6)
0.420 kg. - 0.926 lbs.
C-402/F (14x6)
0.488 kg. - 1.076 lbs.
C-414 (16x8)
0.750 kg. - 1.653 lbs.
C-405 (12x12)
0.840 kg. - 1.857 lbs.

mm. 125 x 250
Inch. 2 9/16 x 3 7/8"



C-501 (12x6)
0.472 kg. - 1.040 lbs.
C-502/F (14x6)
0.554 kg. - 1.221 lbs.
C-514 (16x8)
0.843 kg. - 1.858 lbs.
C-506 (20x6)
0.791 kg. - 1.743 lbs.
C-505 (12x12)
0.950 kg. - 2.094 lbs.

mm. 160 x 280
Inch. 6 2/8 x 11"



C-601 (12x6)
0.556 kg. - 1.225 lbs.
C-602/F (14x6)
0.652 kg. - 1.487 lbs.
C-614 (16x8)
0.994 kg. - 2.191 lbs.
C-606 (20x6)
0.933 kg. - 2.056 lbs.
C-605 (12x12)
1.190 kg. - 2.623 lbs.

mm. 170 x 405
Inch. 6 6/8 x 16"



C-701 (12x6)
0.455 kg. - 1.003 lbs.
C-702/F (14x6)
0.534 kg. - 1.177 lbs.
C-714 (16x8)
0.813 kg. - 1.792 lbs.
C-706 (20x6)
0.763 kg. - 1.682 lbs.
C-705 (12x12)
0.915 kg. - 2.017 lbs.

mm. 140 x 300
Inch. 5 3/8 x 11 6/8"



C-801 (12x6)
0.292 kg. - 0.644 lbs.
C-802/F (14x6)
0.343 kg. - 0.756 lbs.
C-814 (16x8)
0.522 kg. - 1.150 lbs.
C-806 (20x6)
0.490 kg. - 1.080 lbs.
C-805 (12x12)
0.588 kg. - 1.296 lbs.

mm. 95 x 240
Inch. 3 6/8 x 9 7/16"



C-901 (12x6)
0.478 kg. - 1.054 lbs.
C-902/F (14x6)
0.570 kg. - 1.256 lbs.
C-914 (16x8)
0.853 kg. - 1.880 lbs.
C-906 (20x6)
0.801 kg. - 1.765 lbs.
C-905 (12x12)
0.961 kg. - 2.118 lbs.

mm. 160 x 330
Inch. 6 2/8 x 13"



C-1001 (12x6)
0.388 kg. - 0.855 lbs.
C-1002/F (14x6)
0.455 kg. - 1.033 lbs.
C-1014 (16x8)
0.693 kg. - 1.527 lbs.
C-1006 (20x6)
0.650 kg. - 1.433 lbs.
C-1005 (12x12)
0.780 kg. - 1.719 lbs.

mm. 135 x 210
Inch. 5 3/8 x 8 4/16"



C-1101 (12x6)
0.233 kg. - 0.514 lbs.
C-1102/F (14x6)
0.273 kg. - 0.602 lbs.
C-1127 (10x10)
0.326 kg. - 0.719 lbs.
C-1114 (16x8)
0.417 kg. - 0.919 lbs.
C-1105 (12x12)
0.465 kg. - 1.028 lbs.

mm. 95 x 187
Inch. 3 6/8 x 7 6/16"



C-1201 (12x6)
0.253 kg. - 0.558 lbs.
C-1202/F (14x6)
0.297 kg. - 0.655 lbs.
C-1227 (10x10)
0.353 kg. - 0.778 lbs.
C-1214 (16x8)
0.452 kg. - 0.996 lbs.
C-1205 (12x12)
0.505 kg. - 1.116 lbs.

mm. 100 x 210
Inch. 3 15/16 x 8 4/16"



*G-001 Tail (right)
it is hot stamped & tail mechanically
twisted - while G-002/F (left) it is hot stamped and tail
manually twisted.*



G-001 (12x6)
0.118 kg. - 0.260 lbs.
G-002/F (14x6)
0.138 kg. - 0.304 lbs.
G-026/F (8x8)
0.105 kg. - 0.231 lbs.

mm. 65 x 90
Inch. 2⁹/₁₆ x 3⁹/₁₆



G-101 (12x6)
0.157 kg. - 0.346 lbs.
G-102/F (14x6)
0.185 kg. - 0.408 lbs.
G-126/F (8x8)
0.141 kg. - 0.311 lbs.

mm. 80 x 110
Inch. 3¹/₈ x 4⁵/₁₆



G-201 (12x6)
0.211 kg. - 0.465 lbs.
G-202/F (14x6)
0.247 kg. - 0.544 lbs.
G-214 (16x8)
0.377 kg. - 0.831 lbs.

mm. 115 x 150
Inch. 4⁴/₈ x 5⁷/₈

(ABOVE 3 items in 14x6 shows the Hot stamped finals)



G-314 (16x8)
0.462 kg. - 1.018 lbs.
G-305 (12x12)
0.520 kg. - 1.146 lbs.
G-316 (Dia 12)
0.408 kg. - 0.899 lbs.

mm. 125 x 150
Inch. 4¹⁵/₁₆ x 5⁷/₈



G-401 (12x6)
0.174 kg. - 0.383 lbs.
G-402/F (14x6)
0.204 kg. - 0.450 lbs.
G-427 (10x10)
0.242 kg. - 0.534 lbs.

mm. 65 x 125
Inch. 2⁹/₁₆ x 4¹⁵/₁₆



G-501 (12x6)
0.259 kg. - 0.571 lbs.
G-502/F (14x6)
0.303 kg. - 0.668 lbs.
G-514 (16x8)
0.462 kg. - 1.018 lbs.
G-505 (12x12)
0.520 kg. - 1.146 lbs.

mm. 85 x 180
Inch. 3³/₈ x 7¹/₈



G-601 (12x6)
0.337 kg. - 0.743 lbs.
G-602/F (14x6)
0.395 kg. - 0.871 lbs.
G-614 (16x8)
0.602 kg. - 1.327 lbs.
G-605 (12x12)
0.678 kg. - 1.494 lbs.
G-606 (20x6)
0.565 kg. - 1.245 lbs.

mm. 100 x 250
Inch. 3¹⁵/₁₆ x 9¹³/₁₆



G-701 (12x6)
0.285 kg. - 0.628 lbs.
G-702/F (14x6)
0.330 kg. - 0.727 lbs.
G-705 (12x12)
0.530 kg. - 1.168 lbs.

mm. 110 x 180
Inch. 4⁵/₁₆ x 7¹/₈



G-801-A (12x6)
0.290 kg. - 0.639 lbs.
G-802/F-A (14x6)
0.328 kg. - 0.723 lbs.
(With SL-1/ A)
mm. 70 x 305
Inch. 2⁶/₈ x 12"



G-801 (12x6)
0.290 kg. - 0.639 lbs.
G-802/F (14x6)
0.328 kg. - 0.723 lbs.
(With SL/1)



G-901 (12x6)
0.523 kg. - 1.153 lbs.
G-902/F (14x6)
0.613 kg. - 1.351 lbs.
LEFT

mm. 95 x 360
Inch 3⁶/₈ x 14³/₁₆

G-901-A (12x6)
0.320 kg. - 0.705 lbs.
G-902/F-A (14x6)
0.376 kg. - 0.829 lbs.
RIGHT

mm. 70 x 360
Inch. 2⁶/₈ x 14³/₁₆



G-1001 (12x6)
0.427 kg. - 0.941 lbs.
G-1002/F (14x6)
0.501 kg. - 1.104 lbs.



mm. 135 x 250
Inch. 5⁵/₁₆ x 9³/₁₆

(Above G-1002/F)



G-1101 (12x6)
0.556 kg. - 1.225 lbs.
G-1102/F (14x6)
0.652 kg. - 1.437 lbs.

mm. 85 x 375
Inch. 3³/₈ x 14⁶/₈



SERIE "S"



S-101 (12x6)
0.168 kg. - 0.370 lbs.
S-102/F (14x6)
0.194 kg. - 0.428 lbs.
S-126 (8x8)
0.148 kg. - 0.326 lbs.

mm. 65 x 150
Inch. 2⁹/₁₆ x 5⁷/₈



S-201 (12x6)
0.226 kg. - 0.498 lbs.
S-202/F (14x6)
0.263 kg. - 0.580 lbs.
S-226 (8x8)
0.200 kg. - 0.441 lbs.

mm. 86 x 170
Inch. 3³/₈ x 6¹¹/₁₆



S-301 (12x6)
0.333 kg. - 0.734 lbs.
S-302/F (14x6)
0.389 kg. - 0.857 lbs.
S-326 (8x8)
0.296 kg. - 0.652 lbs.
S-306 (20x6)
0.556 kg. - 1.225 lbs.
S-305 (12x12)
0.667 kg. - 1.470 lbs.

mm. 110 x 220
Inch. 4⁵/₁₆ x 8¹¹/₁₆



S-401 (12x6)
0.329 kg. - 0.725 lbs.
S-402/F (14x6)
0.386 kg. - 0.851 lbs.
S-414 (16x8)
0.587 kg. - 1.294 lbs.
S-405 (12x12)
0.661 kg. - 1.457 lbs.
S-406 (20x6)
0.551 kg. - 1.214 lbs.
S-403 (20x8)
0.735 kg. - 1.620 lbs.

mm. 84 x 260
Inch. 3²/₈ x 10²/₈



S-501 (12x6)
0.422 kg. - 0.930 lbs.
S-502/F (14x6)
0.494 kg. - 1.089 lbs.
S-514 (16x8)
0.753 kg. - 1.660 lbs.
S-505 (12x12)
0.848 kg. - 1.869 lbs.
S-506 (20x6)
0.707 kg. - 1.558 lbs.
S-503 (20x8)
0.942 kg. - 2.076 lbs.

mm. 135 x 290
Inch. 5⁵/₁₆ x 11⁷/₁₆



S-601 (12x6)
0.455 kg. - 1.003 lbs.
S-602/F (14x6)
0.534 kg. - 1.177 lbs.
S-614 (16x8)
0.813 kg. - 1.792 lbs.
S-605 (12x12)
0.915 kg. - 2.017 lbs.
S-606 (20x6)
0.763 kg. - 1.682 lbs.
S-603 (20x8)
1.017 kg. - 2.241 lbs.

mm. 130 x 360
Inch. 4³/₈ x 8¹¹/₁₆



S-701 (12x6)
0.633 kg. - 1.395 lbs.
S-702/F (14x6)
0.738 kg. - 1.627 lbs.
S-714 (16x8)
1.124 kg. - 2.477 lbs.
S-705 (12x12)
1.265 kg. - 2.788 lbs.
S-706 (20x6)
1.055 kg. - 2.325 lbs.

mm. 210 x 410
Inch. 8²/₈ x 16¹/₈



S-801 (12x6)
0.719 kg. - 1.585 lbs.
S-802/F (14x6)
0.844 kg. - 1.860 lbs.
S-814 (16x8)
1.285 kg. - 2.832 lbs.
S-805 (12x12)
1.446 kg. - 3.187 lbs.
S-806 (20x6)
1.206 kg. - 2.658 lbs.

mm. 210 x 550
Inch. 8²/₈ x 21⁵/₈



S-901 (12x6)
0.725 kg. - 1.598 lbs.
S-902/F (14x6)
0.850 kg. - 1.873 lbs.
S-914 (16x8)
1.295 kg. - 2.854 lbs.
S-905 (12x12)
1.458 kg. - 3.213 lbs.
S-906 (20x6)
1.215 kg. - 2.678 lbs.

mm. 210 x 410
Inch. 8²/₈ x 16¹/₈

(Tail for S-905 in 12x6)



S-1001 (12x6)
0.548 kg. - 1.208 lbs.
S-1002/F (14x6)
0.643 kg. - 1.417 lbs.
S-1014 (16x8)
0.979 kg. - 2.158 lbs.
S-1005 (12x12)
1.102 kg. - 2.429 lbs.
S-1006 (20x6)
0.918 kg. - 2.023 lbs.

With SL-7

mm. 170 x 380
Inch. 6¹¹/₁₆ x 14¹⁵/₁₆



S-1101 (12x6)
0.562 kg. - 1.239 lbs.
S-1102/F (14x6)
0.659 kg. - 1.452 lbs.
S-1114 (16x8)
1.004 kg. - 2.213 lbs.
S-1105 (12x12)
1.130 kg. - 2.491 lbs.
S-1106 (20x6)
0.942 kg. - 2.076 lbs.

mm. 140 x 400
Inch. 5⁴/₈ x 15⁶/₈



S-1201 (12x6)
0.742 kg. - 1.635 lbs.
S-1202/F (14x6)
0.870 kg. - 1.917 lbs.
S-1214 (16x8)
1.325 kg. - 2.920 lbs.
S-1205 (12x12)
1.492 kg. - 3.288 lbs.
S-1206 (20x6)
1.243 kg. - 2.740 lbs.

mm. 110 x 750
Inch. 4⁵/₁₆ x 29⁴/₈

c
o
p
y
r
i
g
h
t

r
e
p
r
o
d
u
c
t
i
o
n

p
r
o
h
i
b
i
t
e
d